Press Release

Logacool AC MS

Buderus

13 March 2023

Feel-good climate for your home

Buderus expands its product range: The systems expert launches Logacool AC MS, a new series of efficient multi-split air conditioners

Systems expert Buderus presents Logacool AS MS, a new series of multi-split air conditioning units. The devices provide reliable cooling and dehumidification at outside temperatures of between -15 and +50 °C. Moreover, the air conditioners heat the room at outside temperatures of between -15 and +30 °C. The operating modes have high energy efficiency ratings of A++ for cooling and A+ for heating. The series comprises four outdoor units with output ratings of 5.3, 7.9, 10.6 and 12.3 kW. Up to five different indoor units can be connected to one outdoor unit. This results in a wide range of possible combinations for optimum heating comfort and pleasant air conditioning.

Buderus will present the Logacool AC MS series to the public at ISH 2023. The air conditioners, which are suitable for new buildings and renovation projects, will be available from March 2023.

Perfect integration

The elegant and unobtrusive design of the Logacool AC MS series matches any interior design style. Another major advantage is the particularly silent operation of the indoor units. The indirect airflow prevents the cold draughts that are typical of many other air conditioning units. In addition, the indoor unit is self-cleaning and self-disinfecting. Moreover, the built-in iClean technology automatically improves the air quality in the room. This way, the Logacool AC MS series guarantees a pleasant indoor climate.

Saving energy at the touch of a button

A number of programmes is available to the user for energy-saving operation: The Gear function is used to select the power level. In addition, the automatic switch-off function and the eco-mode allow the user to positively influence operating time and power

Bosch Thermotechnik GmbH

Buderus Deutschland Jörg Bonkowski Sophienstraße 30–32 D-35576 Wetzlar

Phone: +49 (0) 6441 418-1614 Mobile: +49 (0) 160 7067935

E-mail: joerg.bonkowski@de.bosch.com

www.buderus.de

Buderus

Press Release

Logacool AC MS

consumption. The unit's energy saving mode offers further options to reduce power consumption. All functions can be set using the intuitive remote control or the MyBuderus app. The remote control also acts as a sensor to measure the temperature as felt by the user. This ensures that the desired temperature always reaches the user, not just the immediate vicinity of the device.



Caption:

The outdoor unit of the new Buderus Logacool AC MS series is available with four different output ratings of between 5.3 and 12.3 kW.



Caption:

Up to five indoor units can be connected to the outdoor units of the new Logacool AC MS series from Buderus.

Source: Buderus

Buderus

Press Release

Logacool AC MS

Meta data for your online and social media channels

The following information makes it easier for you to publish the present press release on your online and social media channels.

Use the snippets to optimise your websites for search engines, for your email newsletters or to reach your readers via Facebook and Twitter.

Search engine optimisation

Meta description

Systems expert Buderus presents Logacool AS MS, a new series of multi-split air conditioning units. The devices provide reliable cooling and dehumidification at outside temperatures of between -15 and +50 °C. Moreover, the air conditioners heat the room at outside temperatures of between -15 and +30 °C. Up to five different indoor units can be connected to one outdoor unit. This results in a wide range of possible combinations for optimum heating comfort and pleasant air conditioning.

Tags/keywords

Buderus; Logacool; multi-split; air conditioner

Social media / newsletter lead

Newsletter lead

Systems expert Buderus presents Logacool AS MS, a new series of multi-split air conditioning units. The devices provide reliable cooling and dehumidification at outside temperatures of between -15 and +50 °C. Moreover, the air conditioners heat the room at outside temperatures of between -15 and +30 °C. The operating modes have high energy efficiency ratings of A++ for cooling and A+ for heating. The series comprises four outdoor units with output ratings of 5.3, 7.9, 10.6 and 12.3 kW. Up to five different indoor units can be connected to one outdoor unit.

Buderus

Press Release

Logacool AC MS

Facebook

Systems expert Buderus presents Logacool AS MS, a new series of multi-split air conditioning units. The devices provide reliable cooling and dehumidification at outside temperatures of between -15 and +50 °C. Moreover, the air conditioners heat the room at outside temperatures of between -15 and +30 °C. The operating modes have high energy efficiency ratings of A++ for cooling and A+ for heating. The series comprises four outdoor units with output ratings of 5.3, 7.9, 10.6 and 12.3 kW. Up to five different indoor units can be connected to one outdoor unit.

#airconditioner #Logacool #Buderus

Twitter

Systems expert #Buderus presents the new #Logacool AC MS series. The multi-split air conditioners can heat, cool and dehumidify. Up to five different indoor units can be connected to one outdoor unit. #airconditioner

Buderus, one of Europe's strongest brands in the thermotechnology sector, is a provider of efficient and reliable system solutions for heating, ventilation and cooling. As a systems expert for heating and installation technology, Buderus is distinguished by its consulting expertise, integrated services and perfectly matched energy-efficient and connectable heating systems from a single source. The product portfolio covers everything from heat generators for liquid and gaseous energy sources to storage tanks, controls and heating accessories to a comprehensive range of renewable energy systems such as heat pumps and solar thermal systems.

All Buderus products offer maximum system compatibility, as all components are perfectly matched. This enables trade partners to install individual solutions quickly and efficiently, both in new and existing buildings, regardless of whether the system is large or small.

For more information, visit www.buderus.de.

For supplier lists: Buderus, Bosch Thermotechnik GmbH, Buderus Deutschland, Sophienstraße 30–32, 35576 Wetzlar, info@buderus.de, phone +49 6441 418-0, fax +49 6441 45602, www.buderus.de